



Greater Wenatchee Regional Landfill & Recycling Center
191 South Webb Road
East Wenatchee, WA 98807
(509) 884-2802
(509) 884-3724

June 8, 2009

To: All Asbestos Abatement Customers

Re: Asbestos Packaging/Preparation (Update 6/8/09)

The following are policies/procedures that must be adhered to for acceptance of ACM for disposal at the Graham Road Landfill and or the Greater Wenatchee Regional Landfill. We reserve the right to prohibit any company that violates these policies from disposal of ACM at either of these facilities. Furthermore, any clean up or additional work required to dispose of improperly packaged or prepared ACM will be charged to your company at the full rate allowable by law.

1. Adequately Wet

- It is your responsibility to make sure that asbestos is adequately wet as required by regulation. This means adequately wet when the ACM is brought to and disposed of at the landfill, if at any time site personnel find evidence that the ACM is not wet as required the appropriate regulatory agency will be contacted.

2. Double Wrapped

- Burrito wrapped asbestos must be double wrapped in Re-enforced 6 mil thick plastic. Burrito style wrapped asbestos must have the seams glued and taped. Burrito wrapped ACM must be marked as required.
- Bagged asbestos must be double bagged and marked.
- Note: Re-enforced 6 mil plastic can be purchased locally, (Spokane) when purchased by the pallet load the cost is similar to regular 6 mil.
- Any loads (Burrito Style) arriving at these facilities after July 1, 2009 that are not double wrapped with re-enforced 6 mil will be rejected.

3. Repairs

- When unloading your asbestos, if at any time your packaging rips, tears or is breached in anyway you must immediately repair the breach. All transporters shall carry plastic, tape and glue at all times so the repair can be completed.

4. Documentation

- Waste Shipment Records (WSR) must accompany each load.
- (New) Alternate Work Plan (AWP) documentation must accompany the WSR when a project is working under the guidelines of an AWP.

5. Vermiculite

- Waste Management requires that all Vermiculite is double bagged in marked bags and disposed of as asbestos. If an AWP is being followed, WM must be notified and AWP documentation must be provided. Additional requirements or charges may apply.

Sincerely,
Waste Management of Washington Inc.



David K Lowe
District Manager